



PERFORMANCE AND CHARACTERISTICS

Fire Resistance

- Solid: 30mins insulation and integrity
- Glazed: 30mins integrity only
- Doorsets: 30mins integrity only
- Flame spread: Dependent on surface finish

Sound Insulation

- To BS EN ISO 140-3:1995 and rated in accordance with BS EN ISO 717/1:1997
- In excess of 45dB Rw (Prima 75)/48dB Rw (Prima 100) solid and up to 40dB Rw (Prima 75)/40dB Rw (Prima 100) glazed

Dimensions

- Thickness: 75mm or 100mm
- Module: 1200mm
- Height: Variable
- Doors: 44mm thickness

Glazing

- Up to 7mm max, laminated or toughened glass
- Complies with BS6206 and Building Regulations Part N



FEATURES AND BENEFITS

- Attractive, economical partitioning
- Single or double glazed options
- Unlimited glass manifestation options
- Integral blinds for privacy
- Range of colours and finishes
- Quick and simple installation
- Fully relocatable

Excel

A simple, economical and attractive solution to the division of working environments.

Excel partitioning provides an economical and attractive solution to the division of working environments, where performance requirements are not the main criteria. It is highly relocatable, ensuring it accommodates the constantly changing needs of the modern business. Available in any combination of solid, fully glazed or part glazed elevations and generally based on a 1200mm module, the system provides an extensive range of options.



Above. Angled junction and corner posts allow for inspirational designs

Excel

The Excel partitioning system has a nominal 65mm overall footprint.

Excel comprises a lightweight aluminium framing with gypsum plasterboard honeycomb panel or hardboard faced flaxboard panel infill for solid elevations, which can be decorated with a wide selection of wall coverings. Glazed elevations utilise snap-in PVC glazing components available in white, black or grey colour ways to achieve single centre, single offset or double glazing configurations. Glass manifestations or interstitial horizontal blinds can be incorporated to satisfy aesthetic or privacy requirements. Excel framing components are extruded aluminium profiles, most of which are available from stock, finished in either satin anodised, polyester powder coated white (RAL 9010) or grey (BS 00 A 05) in common sizes. Alternatively a standard range of colours is available to meet innovative requirements or the system can be custom coated to suit specific client needs. Doorframes and corner posts are available as either square or rounded profiles.





PERFORMANCE AND CHARACTERISTICS

Dimensions

- Thickness: 50mm
- Module: 1200mm
- Height: Variable
- Doors: 44mm thick. Cellular Core

Glazing

- Up to 7mm max, laminated or toughened glass
- Complies with BS6206 and Building Regulations Part N



FEATURES AND BENEFITS

- Single or double doorsets
- Overpanels with matching grain
- Your choice of vision panel design
- Recessed timber logo options
- Fire resistance up to 60 mins
- Fast-fit range available
- EcoDoors - environmentally friendly wood grain veneer option

TruDoors

A range of doors to perfectly complement our partitioning.
Options include a variety of veneered finishes and vision panel shapes.

Complementing our variety of partitioning systems the TruDoor range comprises a wide selection of different sizes and finishes to suit any design. Doors can be specified to include vision apertures in a variety of shapes precision cut with a CNC router for superb accuracy and it is also possible to accommodate simple bespoke logos machined from solid timber and recessed into the door face. We also supply many types and styles of door furniture and ironmongery to add the perfect finishing touch.



Above. Door inlays and designs are only limited by your imagination

TruDoors

TruDoors are available in the following finishes in natural wood veneers.

- Paint Grade
- Sapele FSC
- Light Oak
- Ash
- Steamed Beech
- Koto
- Anegre
- Maple
- American Cherry
- White Beech

Further options are available with a range of facsimile wood-grain finishes that give greater uniformity of appearance than natural wood veneers, these are held in a limited range of popular sizes (see EcoDoor details on the adjacent page and 'Finish Options' on page 28). Doors are available as cellular core in 44mm thickness, or solid core 44mm thick to provide 30 minutes fire resistance and 54mm to provide 60 minutes fire resistance both subject to installation requirements. There are also a range of 'Fast Fit' doors, pre-morticed for CCF standard lock and two standard hinges in a universal un-handed configuration for ease of installation in Excel, Prima or Symphonyplus doorframes. Our Partitioning Centres of Excellence have display units with a small range of veneer options and vision panel styles allowing you to gain inspiration for your latest project.





ENVIRONMENTAL OPTIONS

EcoDoors

The veneers on these doors are exact ensuring once they have been installed, future door requirements can be matched exactly keeping your project uniform in appearance

Benefits

- Man made facing and other materials from managed resources ensure the doors are environmentally friendly
- Hard wearing - ideal for heavy traffic areas
- Grain pattern and colour is consistent throughout - ideal for areas with several or pairs of doors
- No shading/fading - unaffected by sunlight
- Easy clean surface
- Available in Oak, Ash, Steamed Beech and Maple Options




FEATURES AND BENEFITS

- Integral blinds
- Unlimited manifestation options
- Colour options for system and glazing
- Range of timber veneers
- Fast track stock colours
- Range of glass and wooden doors
- Stylish door furniture and ironmongery

Finish Options

Choose the finish to your partitioning system, from colour, wood choice, vision panels and integral blinds through to designing your own film manifestations.

Choices are not limited to the systems - you can choose the finish options you require to complement your interior. Manifestations are available in any colour, shape and design, adding privacy and style whilst integral blinds offer a more flexible option for clear glazed areas. Component finishes are available in a range of RAL colours, some available from stock for most systems. Symphonyplus, comes in a range of high quality veneers perfectly matched to those available for TruDoors to ensure consistency of appearance.




Finish Options

Adding the finishing touches - Once you have decided on the system don't forget to consider your other design options. Below are some other things to think about.

Why not try experimenting with different shapes of door cutouts, or adding a machined logo in wooden doors as shown in the TruDoor section. CCF can also supply a vast choice of wallcovering styles and finishes providing a decorative and durable finish to solid partition panels and other interior surfaces. Our ranges from Muraspec and Tektura ensure there is a style available to suit every budget and design concept. The variety of colours and finishes will complement your selection of partition system framework and features, enhancing the overall scheme. Samples from both manufacturers are available upon request from your nearest CCF branch.

Colour Options



PVC Options



Best Selling Colours*

- 01. Satin Anodised Aluminium
- 02. RAL 9010 Pure White
- 03. BS 00-A-05 Goose Grey
- 04. RAL 9006 Metallic Silver
- 05. RAL 9007 Metallic Grey

Other Colours*

- 06. RAL 3005 Wine Red
- 07. RAL 3020 Traffic Red
- 08. RAL 5010 Blue
- 09. RAL 5014 Pigeon Blue
- 10. RAL 6005 Moss Green
- 11. RAL 7031 Blue Grey
- 12. RAL 7035 Light Grey

- 13. RAL 7037 Dusty Grey
- 14. RAL 9005 Jet Black
- 15. RAL 9016 Traffic White
- 16. BS 00-A-01 Ash Grey
- 17. BS 08-B-15 Magnolia
- 18. BS 08-B-29 Bitter Chocolate

(Complementary PVC trim sections can be made available to match or contrast with most colours, subject to minimum quantity).

*BS4800 and RAL colours not listed are also available, please contact your local CCF branch for further information






FEATURES AND BENEFITS

- Partitioning and door displays
- Meeting facilities
- Logitram CAD design and layout service
- Fixtures and fittings listings
- Friendly specialist partitioning staff
- Technical and COSHH information
- Customised quotation package
- Training courses

Partitioning Centres

Our partitioning Centres of excellence are on hand to help you throughout the process from choosing your system through to installation.

Our centres are run by highly trained staff providing advice and help with your partitioning projects from start to finish. Help is available with solving design problems, CAD, component listings, quick quotes right through to ordering and delivery. Staff are equipped with all the technical knowledge and information you require to ensure your project runs smoothly and efficiently - they can even produce elevation and layout drawings for you! Training is also available for installing our systems and can be arranged to suit your needs.



Above. Display units have been installed at East London and Glasgow.

Logitram Design

Our logitram service allows you to provide us with simple line drawings which we can then convert into complex plans to scale, including full colour elevations and exploded views.

Once completed, logitram also allows a detailed component listing to be drawn up to ensure you get everything you need to install the system. We can also provide a customised quotation package which clearly sets out components, costs and product details and completes the comprehensive service we offer. Our friendly knowledgeable partitioning specialists are on hand throughout the process to ensure you get all the help, advice and answers you require - they can even help track your orders and give advice and tips for installation.

As a finishing touch, our 'Key' centres at Birmingham, East London, Manchester and Glasgow offer fantastic display units and meeting areas where you and your customers can meet, find out more about the systems and see the range of options available to you in situ. The displays cover all our systems, including some of the more unusual design options (for example a spectacular curved glass partition at East London) and also give you the opportunity to find out more about the entire package CCF has on offer.



For more information about where you can find us visit www.ccf ltd.co.uk



WHERE TO FIND THE CENTRES OF EXCELLENCE

Birmingham

9/10 Kelvin Way Trading Est,
West Bromwich. B70 7TN
Tel: 0121 5258877
Fax: 0121 500 5594

Bristol

Unit B, Access 18 West,
Third Way, Avonmouth, Bristol.
BS11 9YH
Tel: 0117 982 2613
Fax: 0117 982 2619

East London

Unit 1, Electra Business Park,
160 Bidder Street,
London. E16 4ES
Tel: 020 7540 5050
Fax: 020 7476 9955

Glasgow

15 Robert Drive,
Helen Street, Glasgow.
G51 3HE
Tel: 0141 445 2557
Fax: 0141 445 5660

Heathrow

Unit 4F Boeing Way,
International Trading Est,
Brent Road, Southall.
UB2 5LB
Tel: 020 8893 5353
Fax: 020 8893 5244

Manchester

Unit B, Centenary Link,
Guinness Circle,
Trafford Park,
Manchester. M17 1EB
Tel: 0161 877 4088
Fax: 0161 877 0688

Reading

27-28 Suttons Business Park,
London Road, Reading,
RG6 1AZ
Tel: 0118 949 2540
Fax: 0118 935 2439

CCF offer a complete service to the interiors building industry specialising in ceilings, drywall, screeding, insulation, partitioning and fire protection. We hold comprehensive stocks of quality products and provide complete solutions for interior specialists, contractors and builders.



Nationwide Branch Network:

Ashford Tel: 01233 611135 Fax: 01233 611143	Croydon Tel: 020 8665 6113 Fax: 020 8683 0256	Liverpool Tel 0151 933 8444 Fax: 0151 933 7998	Stevenage Tel: 01438 740055 Fax: 01483 741600
Barking Tel: 020 8526 8700 Fax: 020 8526 8707	Doncaster Tel: 01302 786043 Fax: 01302 784963	Manchester Tel: 0161 877 4088 Fax: 0161 877 0688	Swindon Tel: 01793 497580 Fax: 01793 611308
Basildon Tel: 01268 293323 Fax: 01268 527070	East Kilbride Tel: 01355 244400 Fax: 01355 246464	Newcastle Tel: 0191 491 4992 Fax: 0191 491 3896	Thetford Tel: 01842 766316 Fax: 01842 753728
Birmingham Tel: 0121 525 8877 Fax: 0121 500 5594	East London Tel: 020 7540 5050 Fax: 020 7476 9955	Nottingham Tel: 01773 711 404 Fax: 01773 711 944	West London Tel: 020 8810 5533 Fax: 020 8566 7755
Bristol Tel: 0117 982 2613 Fax: 0117 982 2619	Edinburgh Tel: 0131 440 4023 Fax: 0131 440 652	Park Royal Tel: 020 8965 4222 Fax: 020 8965 4777	
Cannock Tel: 01543 686998 Fax: 01543 677283	Exeter Tel: 01392 362128 Fax: 01392 362125	Peterborough Tel: 01733 551 333 Fax: 01733 311921	
Cardiff Tel: 029 2076 3311 Fax: 029 2075 5910	Glasgow Tel: 0141 445 2557 Fax: 0141 445 5660	Portsmouth Tel: 023 9241 3770 Fax: 023 9241 3790	
Carlisle Tel: 01228 672257 Fax: 01228 674728	Heathrow Tel: 020 8893 5353 Fax: 020 8893 5244	Reading Tel: 0118 949 2540 Fax: 0118 935 2439	
Christchurch Tel: 01202 496666 Fax: 01202 496644	Leeds Tel: 08700 979797 Fax: 08707 550671	Southampton Tel: 01489 785155 Fax: 01489 787910	

Head Office
27/28 Suttons Business Park
London Road, Reading. RG6 1AZ
T. 0118 949 1092
F. 0118 926 8831
www.ccf ltd.co.uk

ccfltd.co.uk

The information (including prices) contained in this publication is believed to be correct and complete at the time of printing. Due to limitations in the printing process images may not be representative of their true colours. Stock may vary from branch to branch and is subject to availability. All photographs are as a guide only and do not necessarily represent the products available. CCF reserves the right to change product details without prior notice. E&OE. September 2009. JB52447.